

NEW!



ISLAND PACKET YACHTS®


2010B
E.U.

America's Cruising Yacht Leader

SPECIFICATION AND PRICE LIST



CERTIFIED TO **ABYC** STANDARDS **CE** CATEGORY "A" - OCEAN



Estero®

Specifications and Price List

1979 Wild Acres Road • Largo, Florida USA 33771 • 727/535-6431 • Fax 727/530-5806
TOLL FREE 1-888-SAIL-IPY (724-5479) • www.ipy.com

Exclusive “3/10/10” Limited Warranty.
Only Island Packet backs every yacht with a three year
“stem to stern” warranty and with extended 10 year warranties
covering osmotic blistering and deck core degradation.

Construction

- ★ One-piece integral hull and keel of 100% hand laminated high modulus knitted fiberglass infused with a proprietary pressure-fed roller application system. Light ivory gelcoat with urethane painted boot stripe
- ★ Fully encapsulated lead ballast forms double bottom over length of keel. No keel bolts to maintain, loosen or leak
- ★ Molded interior structural base unit bonded with hull and interior bulkhead system to form unified structure
- ★ Chainplates interlocked and bonded directly with hull structure for secure “belt-and-suspenders” installation
- ★ PolyClad3® hull gel system includes 10 year pro-rated limited warranty against osmotic blisters
- ★ Deck laminate features Island Packet’s exclusive PolyCore®, virtually eliminating the potential for deck deterioration associated with other core materials. Includes a 10 year pro-rated limited warranty
- ★ Two-tone deck surfaces: light ivory with tan diamond pattern slip resistant surfaces
- ★ One-piece deck attached to integral hull flange with bolts, lock nuts and urethane adhesive sealant. Hardware backed with aluminum plates where required
- ★ Molded fiberglass headliner with textured finish

Rig / Sails

- ★ Sails: in-mast vertically battened roller furling main and roller furling jib in high modulus Dacron® with white UV sun panels
- ★ Hoyt® self-vanging jib boom for ease of handling, improved performance and superb adaptability. Urethane finish
- ★ Jib on Harken® roller furling system
- ★ Main halyard led to Lewmar® Ocean Series 16C, 2-speed winch on mast. Mainsail roller furling control lines and jib sheet led aft to cockpit through stoppers to Lewmar Ocean Series 30CST, 2-speed winch. Boom vang/preventer. Main sheet traveler w/4:1 control system led to cockpit. Main sheet and spare main halyard led to cockpit through stoppers to Lewmar Ocean Series 30CST winch
- ★ Jib halyard led to Lewmar Ocean Series 16C, 2-speed winch on mast. Mast prepared for spinnaker and reacher halyard installation. Jib sheet led aft to cockpit through stopper to Lewmar Ocean Series 30CST winch. Coaming mounted Lewmar Ocean Series 16CST furling line winch
- ★ Anodized and powder coated aluminum mast and boom
- ★ Mid-boom sheeting for unobstructed cockpit & dodger installations
- ★ Sail control lines accessible from cockpit, coaming bins for sail control lines
- ★ 10” chrome-plated lock-in winch handle

Cockpit / Deck

- ★ Ergonomically shaped cockpit seats over 7' long, deep storage locker (stbd) and tray (port) under gasketed seat hatches, wide coamings with line bins, teak helm seat lifts for LPG tank storage access, four harness padeyes, two 2" cockpit scuppers, engine panel adjacent to helm in covered alcove, hot and cold shower
- ★ Edson CD-i® geared rack & pinion steering system for superior reliability and control. Includes Ritchie® compass with custom Island Packet nav grid, s/s wheel, pedestal guard, provisions for remote auto pilot installation, single lever engine control with premium Glendinning® control cables, space for electronics installations, hinged fiberglass cockpit table. Emergency tiller with storage brackets in locker
- ★ Sliding companionway hatch with sea hood, interior latch, and exterior hasp and lock. Knot, depth, and wind indicators – Raymarine® ST60 – mounted in seahood instrument pod. Integrally molded dodger mount on cabin top. Solid mahogany drop boards, center drop board with safety glass port and etched logo, board retaining pin, interior storage rack
- ★ Wide, recessed side decks and foredeck, full length s/s cabin top handrails
- ★ Large anchor locker with overhead deck hatch, sealed bulkhead aft, drain to bilge w/shutoff valve, large divided rode bins with hooks for lines/fenders/gear
- ★ Wide integral bow platform w/exclusive IP designed and patented SeaSafe® anchor roller for fully captive, low chafe chain/rode control, quick anchor deployment and secure storage. Room for (dealer/owner installed) second anchor roller and (optional) windlass
- ★ Double lifelines and s/s bow & stern rails, s/s flagstaff and holder, two (2) Dorade style vents with vinyl cowls
- ★ Stern and side gates with quick release hooks, integral stern rail seats
- ★ Emergency boarding ladder
- ★ Side decks drain to boot stripe
- ★ Four 12" mooring cleats, two 10" spring line cleats, chocks and flush mount chafe guards
- ★ High impact vinyl rubrail with s/s striker

Interior

- ★ Ten opening ports w/screens – polished s/s, safety glass. Five deck hatches with Ocean Air® screens and shades. Two Dorade style vents w/screens and plugs
- ★ Mahogany hardwoods, veneers and coordinated surfaces for bulkheads, cabinetry and trim. Louvered cabin and locker doors, extensive radius corner detailing, cedar-lined lockers and drawers
- ★ Furniture quality satin gloss varnish applied to all interior wood surfaces in a multi-coat process
- ★ Molded fiberglass headliner with textured finish
- ★ Main saloon with drop-leaf table keeps area open for socializing or, with leaves extended, provides for comfortable dining with guests. Central support leg allows table to rotate, facilitating seating access, and can be removed to allow table to drop to berth height. Each settee suitable for use as a single berth or, with an optional set of filler cushions, converts to one king size berth. Cushions covered in designer fabric. Generous storage under the seat cushions, behind forward backrest and in hanging locker. Varnished solid mahogany and oak sole

- ★ Private owner's stateroom aft features large queen size berth with innerspring mattress, cedar-lined hanging locker, bureau, shelf and full-length mirror. Opening port, overhead hatch with screen/shade. Marine Berber style carpet on sole. Lift-off cover and hinged door provide engine access, as well as through a removable panel behind companionway steps
- ★ Head compartment with separate shower stall and seat. Vanity with s/s sink, storage cabinets above and below, plus additional storage in outboard cabinet. Shower stall includes overhead hooks for use as wet locker. Opening port and overhead hatch with screen/shade
- ★ Quarter berth cabin/navigation station - multi-use area with berth covered in designer fabric. Pocket door on overhead track. Hinged chart table drops to provide open area forward of the berth. Master electrical panels and cabinetry provided for variety of owner/dealer installed electronics. Tilt-out chart bin beneath nav table, bureau and shelf outboard. Opening port, Dorade vent and overhead hatch with screen/shade
- ★ U-shaped galley with deep mahogany fiddles on countertop edges. Well-insulated icebox compartments with double-gasketed lids and gas support struts for easy access. Electric drain pump, light, storage drawer beneath. Gimballed 2-burner range w/oven - deluxe Force 10® safety type with stainless steel sealed burner top, lift-off cover. Stainless steel guard rail w/harness hooks. Pot and pan storage under. Microwave, deep double s/s sinks, hot & cold pressure water tap with retractable spray unit, manual fresh water pump, slide-out trash bin, dish racks & cutlery drawers, opening port, Dorade vent and overhead hatch with screen/shade
- ★ SeaGull® IV water filter services cold water tap in head and dedicated faucet (cold only) at galley sink
- ★ Slip resistant sole in head (tile pattern), galley, nav area, and companionway (diamond pattern)
- ★ Numerous chrome-plated cabin sidelights with individual dimmers, overhead lights with remote dimmer switch, courtesy lights with remote switch at companionway, dome lights in icebox and engine compartments
- ★ Removable stainless steel companionway ladder with teak treads, engine access behind
- ★ Mahogany grate located at base of ladder lifts out to reveal dust tray, tray lifts out for bilge sump access with light
- ★ Interior handrails for added safety and security
- ★ Storage rack for companionway drop boards

Mechanical / Electrical / Plumbing

- ★ 40 HP Yanmar® 3JH4E diesel - three cylinder engine, fresh water cooled, rubber isolation mounts on reinforced fiberglass bed with integral oil pan, mechanical fuel pump, 80 amp alternator and Charles® digital Duo Charge controller. 3 blade fixed prop, Racor® fuel filter with water separator mounted on access door in aft stateroom. Jacketed fuel lines with swedged and threaded ends, auxiliary electric fuel pump w/momentary switch for bleeding lines, intake strainer. Pre-plumbed for dealer/owner installed oil change system, overhead light
- ★ Extensive sound control - premium lead-lined insulation, gasketed access doors

- ★ Three 12 volt deep-cycle lead/acid marine batteries: two for house and one dedicated engine start. Momentary parallel switch in cockpit for emergency starting
- ★ UL® listed marine pre-tinned 600V color coded and numbered wiring throughout
- ★ Deluxe electrical panels with battery switch, gauges and breakers for DC & AC systems, battery test system, indicator lights. Electric pumps, LPG, and battery charger controls
- ★ One 16 amp, 240V AC dockside power system through a UL® listed Charles® C-Power marine isolation transformer (with Mastervolt® Soft Start) for added safety and flexibility. Inlet breaker, one 50' shore power cord, numerous interior outlets w/RCD protection
- ★ Charles® 5000 series 30 amp battery charger – three stage, temperature compensating, UL® listed
- ★ Engine instrument panel with tachometer, hour meter, and engine monitoring system at helm
- ★ Electrical DC grounding/bonding system for rig and underwater metals
- ★ Pressure water system w/hot & cold water service in galley, head, and cockpit shower. UL® listed, six gallon electric (AC only) water heater with engine heat exchanger, insulated hot water hoses throughout. Dedicated icebox drain pump w/strainer. Shower and head sink drain to sump with strainer and pump
- ★ LPG system in self-draining storage compartment with gasketed lid, latch with lock, remote solenoid, dual safety shutoffs and gauge; adapter for camping gaz
- ★ Fuel, water and holding tanks below cabin sole maximize storage and stability and minimize trim changes with varying fluid levels
- ★ Fuel tank constructed of welded, baffled, heavy gauge marine grade aluminum (5052-H32) with shut off valve, s/s deck fill, tank-mounted gauge. Pre-plumbed for additional pick up/return for dealer/owner installed generator or heater system
- ★ ThermoCure™ fresh water tank constructed of molded and baffled resin infused fiberglass using FDA approvable VE resins, s/s deck fill, remote tank level gauge
- ★ ThermoCure™ fiberglass holding tank with s/s deck pump out fitting, remote tank level gauge
- ★ Heavy duty Rule® 3700 electric bilge pump with auto control and premium Water Witch® electronic float switch. BilgeAlert® bilge alarm w/remote alarm panel
- ★ UL® listed bronze, thru-bolted, flanged seacocks on all thru-hulls below waterline, ball valves on thru-hulls in boot stripe
- ★ Masthead anchor light, foredeck/steaming light and nav lights
- ★ Pre-wired: anchor windlass and bow thruster cables, fan and speaker wires throughout interior, VHF cable in mast and from mast step to nav area, extra Raymarine cable from seahood to nav area. Messengers pre-run for additional wiring and electronic installations



PRICING AND OPTION LIST / ORDER FORM

LOA (incl. bowsprit)36'5".....11.10 m	Sail Area708 ft. ²65.78 m ²
LWL31'5".....9.58 m	Displacement18,800 lbs.8,545 kg
Beam12'4".....3.76 m	Ballast7,500 lbs.3,410 kg
Draft.....4'0".....1.22 m	Auxiliary Power40 hp30 kw
Mast Above DWL54'0".....16.46 m	Storage Capacity300 ft. ³8.5 m ³
Fuel Capacity60 gal.227 l	Disp/Length270
Water Capacity120 gal.454 l	SA/Displacement.....16.0
Holding Capacity35 gal.132 l	Ballast/Displ40%
Max Headroom6'5".....1.96 m	Cabins/Berths3/6-8

Design: Bob Johnson, N.A.

DEALER/OWNER _____ / _____ DATE _____

SETTEE ULTRALEATHER (OPT. UPGRADE) COLOR: _____ BUFF _____ NAVY

	Retail Price†
<input checked="" type="checkbox"/> Island Packet Estero	
<input checked="" type="checkbox"/> 3 Year Stem-to-Stern Warranty	Included
<input checked="" type="checkbox"/> Roller furling main and headsail	Included
<input checked="" type="checkbox"/> Raymarine® ST60 Knot/Depth/Wind indicators mounted in seahood	Included
<input type="checkbox"/> Cruise Package: Frigoboat Keel Cooler™ freezer and refrigeration systems with digital controls, plus upgraded electrical system: 100 amp Balmar alternator, Charles 40 amp battery charger (3-stage, temperature compensating), three maintenance-free AGM batteries; two for house and one dedicated engine start (all in lieu of standard)	_____
<input type="checkbox"/> Anchor windlass – Muir® Storm VRC 1250, reversible electric w/deck and cockpit controls, 200' 5/16" chain and rope safety tail, Starboard™ shelf to direct chain aft	_____
<input type="checkbox"/> Bow thruster – Vetus®, 6HP with joystick control on pedestal	_____
<input type="checkbox"/> Cockpit cushions - 2" closed cell foam with Textalene® covers	_____
<input type="checkbox"/> Helmseat backrest and bottom cushion - 2" closed cell foam with Textalene® covers	_____
<input type="checkbox"/> Stern platform - fiberglass with s/s frame, teak grates, boarding and swim ladders	_____
<input type="checkbox"/> Lower rubrail w/ stainless steel striker	_____
<input type="checkbox"/> Berth filler cushions for saloon - designer fabric covers and storage bag	_____
<input type="checkbox"/> UltraLeather™ upgrade for settee cushions (specify "Buff" or "Navy" above)	_____
<input type="checkbox"/> Electric macerator pump w/valves for overboard discharge of holding tank	_____
<input type="checkbox"/> Varnished teak cockpit table w/fiddles, hinged leaves and oval & star inlay(in lieu of standard)	_____
<input type="checkbox"/> Leather wheel cover (installed)	_____

DEALER



ALL SPECIFICATIONS APPROXIMATE. PRICING AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
PRICES EFFECTIVE ON DELIVERIES THROUGH DECEMBER 31st, 2009.

†(Please see Dealer for complete list of available options and price quote)